

# WHEN THE GOAL FOR YOUR CHILD IS PARTIAL-ONSET SEIZURE CONTROL, ONCE-A-DAY OXTELLAR XR MAY BE ABLE TO HELP.



Not actual patient.  
Used for illustrative purposes.

PAY AS LITTLE AS

**\$0** CO-PAY\*

ONCE-A-DAY

**Oxtellar XR**®

(oxcarbazepine) extended-release tablets  
600 mg    300 mg    150 mg

## INDICATION

Oxtellar XR® (oxcarbazepine) extended-release tablets is a prescription medicine used to treat partial-onset seizures in adults and children 6 years of age and older.

**Please refer to the Important Safety Information (pages 8 and 9) and the Medication Guide for more information on Oxtellar XR, or visit [www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient).**

\*For full terms and conditions, please see the Oxtellar XR co-pay savings card, or visit [www.OxtellarXR.com](http://www.OxtellarXR.com).

# Epilepsy Facts

▶ **470,000** Number of children in the US who have epilepsy.

▶ **60%** Percentage of people with epilepsy who experience partial-onset seizures.

▶ **1 in 26** Number of Americans who will be diagnosed with epilepsy at some point in their lifetime.

## Understanding partial-onset seizures.

When your child is diagnosed with partial-onset seizures, they may face a number of developmental, educational and social challenges. It's important to teach them the facts about partial-onset seizures so they can confidently inform others of their condition.

Not actual patient.  
Used for illustrative purposes.



Oxtellar XR is a prescription medicine used to treat partial-onset seizures in adults and children 6 years of age and older.

2

Please refer to the **Important Safety Information (pages 8 and 9)** and the **Medication Guide** for more information on Oxtellar XR, or visit [www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient).

# Supporting Your Child

## Establishing a support network at school.

- Ask that information on partial-onset seizures be taught in every classroom
- Ask for extra support while your child is at recess
- Inform teachers and staff what type of partial-onset seizures your child has, what their common seizure triggers are, and what it may look like when they have one

## Helping children with partial-onset seizures transition to adulthood.

**As appropriate for their age and level of development, children with partial-onset seizures should be encouraged to prepare for adulthood by taking more responsibility for their medical needs. This includes:**

- Making and keeping doctor's appointments
- Refilling medicines
- Ensuring medicines are taken each day
- Communicating aspects of care with others
- Keeping an up-to-date seizure diary

ONCE-A-DAY  
**Oxtellar XR.**  
(oxcarbazepine) extended-release tablets  
600 mg 300 mg 150 mg

3

## Choosing a Therapy

### Finding the right partial-onset seizure medication is important.

The partial-onset seizure medication that's prescribed first can make a difference in reducing your child's seizures or even in becoming seizure free.

Current literature describing epilepsy treatments recommends using monotherapy—just 1 seizure medication—in most cases. Increasing the number of seizure medications has its downsides:



#### SIDE EFFECTS

There is a potential to have more drug interactions and side effects.



#### COST

It may be more expensive to take additional seizure medications.



#### MEMORY

It may become harder to remember to administer all of your child's seizure medications, which could lead to missed doses.

## 11 positive clinical trials

Oxtellar XR is the only antiepileptic drug that provides 24-hour controlled delivery of oxcarbazepine, the medicine with powerful evidence for the treatment of partial-onset seizures.




4

Please refer to the **Important Safety Information** (pages 8 and 9) and the **Medication Guide** for more information on Oxtellar XR, or visit [www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient).

## Simplify Their Regimen

### Find a treatment plan your child can stick with.

Taking medication as prescribed can be difficult for anyone, let alone a child or adolescent. When your goal for your child is partial-onset seizure control, continuing to take medicine as prescribed is important.



#### Tips to help your child stay on track



Use alarms, smartphone apps, pill boxes, or daily activities such as brushing teeth as prompts to help them take their medicine



Have them take their medicine even when they feel it isn't working or they don't need it



Ask their healthcare provider if there are ways to modify the number of doses to help better achieve treatment goals

With extended-release technology and 24-hour medication coverage, once-a-day Oxtellar XR may help simplify their regimen.


ONCE-A-DAY  
**Oxtellar XR**  
(oxcarbazepine) extended-release tablets  
600 mg 300 mg 150 mg

5

# Extended-Release Designed for 24-Hour Drug Delivery

Solutrol<sup>®</sup> extended-release technology means your child takes just 1 dose, once a day.

Each tablet of Oxtellar XR contains the drug (oxcarbazepine) and an agent that helps the tablet dissolve evenly and in a controlled manner to provide medication over 24 hours.



Not actual patient.  
Used for illustrative purposes.

24  
HOURS

- Drug
- Solubilizing agent
- Other components

For illustration purposes only; does not represent Oxtellar XR or the actual time medicine is released.

6

Please refer to the Important Safety Information (pages 8 and 9) and the Medication Guide for more information on Oxtellar XR, or visit [www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient).

## Delivery of 1200 mg once-a-day Oxtellar XR over 24 hours.



Monohydroxy derivative (MHD) becomes the active part of oxcarbazepine once the medicine enters the body.

This study was done in healthy adults. The graph represents sample activities over the course of a day. Oxtellar XR has not been shown to have an impact on these activities.

### What would your child do between doses of Oxtellar XR?



ONCE-A-DAY

**Oxtellar XR.**  
(oxcarbazepine) extended-release tablets  
600 mg 300 mg 150 mg

7

# Important Safety Information

## IMPORTANT SAFETY INFORMATION

**Do not take Oxtellar XR if you are allergic to oxcarbazepine, or any of the other ingredients in Oxtellar XR, or to eslicarbazepine acetate.**

**Oxtellar XR can cause serious side effects, including** a low level of sodium in your blood. Symptoms of low blood sodium include nausea, tiredness, lack of energy, headache, confusion, and more frequent or more severe seizures. Similar symptoms that are not related to low sodium may occur from taking Oxtellar XR.

**The most common side effects include** dizziness, sleepiness, headache, balance problems, tremors, vomiting, double vision, and weakness. These are not all of the possible side effects of Oxtellar XR. For more information, ask your healthcare provider or pharmacist.

**Like other antiepileptic drugs, Oxtellar XR may cause suicidal thoughts or actions in a very small number of people, about 1 in 500.** Before you take Oxtellar XR, tell your healthcare provider if you have or have had depression, mood problems, or suicidal thoughts or behavior. Call a healthcare provider right away if you have thoughts about suicide or dying, attempts to commit suicide, have new or worse depression or new or worse anxiety, feel agitated or restless, experience panic attacks, trouble sleeping (insomnia), or new or worse irritability, feel or act more aggressive, angry, or violent, act on dangerous impulses, have an extreme increase in activity and talking (mania), or experience other unusual changes in behavior or mood.

**Oxtellar XR may also cause allergic reactions or serious problems which may affect organs and other parts of your body like the liver or blood cells.** You may or may not have a rash with these types of reactions. Call your healthcare provider right away if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. Many people who are allergic to carbamazepine are also allergic to Oxtellar XR. Tell your healthcare provider if you are allergic to carbamazepine.

**Before taking Oxtellar XR, tell your healthcare provider about all your medical conditions,** including if you have or have had suicidal thoughts or actions, have depression or mood problems, have liver problems, have kidney problems, are allergic to carbamazepine, use birth control medicine, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed. Oxtellar XR passes into breast milk. Talk with your healthcare provider about the best way to feed your baby if you take Oxtellar XR.

**Oxtellar XR may harm your unborn baby.** Tell your healthcare provider right away if you become pregnant while taking Oxtellar XR. If you use birth control medicine, Oxtellar XR may cause your birth control medicine to be less effective.

**Tell your healthcare provider about all the medicines you take,** including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Taking Oxtellar XR with certain other medicines may cause side effects or affect how well they work. Do not start or stop other medicines without talking to your healthcare provider. Especially tell your healthcare provider if you take: carbamazepine, phenobarbital, phenytoin, or birth control medicine.

**Do not stop taking Oxtellar XR without talking to your healthcare provider.** Stopping Oxtellar XR suddenly can cause serious problems, including seizures that will not stop. Take Oxtellar XR exactly as prescribed.

**INDICATION**

Oxtellar XR® (oxcarbazepine) extended-release tablets is a prescription medicine used to treat partial-onset seizures in adults and children 6 years of age and older.

## INDICATION

**Please refer to the full Prescribing Information and Medication Guide for additional important information.**

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

8

Please refer to the [Medication Guide](#) for more information on Oxtellar XR, or visit [www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient).



# Simple Once-a-Day Regimen

## Taking Oxtellar XR is simple—once a day for full 24-hour medication coverage.

- Your child's healthcare team can start them on 8-10 mg/kg of Oxtellar XR once a day
- They will then increase the dose in weekly 8-10 mg/kg once-a-day increments (not to exceed 600 mg) and adjust to the target dose over 2-3 weeks

TARGET DAILY DOSE	WEIGHT
900 mg/day	20 to 29 kg
1200 mg/day	29.1 to 39 kg
1800 mg/day	Greater than 39 kg

## Children should take once-a-day Oxtellar XR on an empty stomach.

For optimal tolerability, have your child take Oxtellar XR at least 1 hour before or at least 2 hours after a meal.



- Children should take Oxtellar XR once every day
- They should take it at least 1 hour before or at least 2 hours after a meal
- They should not cut, crush, or chew the tablets before swallowing
- They should take Oxtellar XR at the same time each day
- They should not stop taking Oxtellar XR unless you've talked to their healthcare team. Stopping Oxtellar XR suddenly can cause serious problems, including seizures that will not stop (status epilepticus)
- They should take Oxtellar XR exactly as prescribed



Not actual patient.  
Used for illustrative purposes.

10

Please refer to the Important Safety Information (pages 8 and 9) and the Medication Guide for more information on Oxtellar XR, or visit [www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient).

ONCE-A-DAY  
**Oxtellar XR**  
(oxcarbazepine) extended-release tablets  
600 mg 300 mg 150 mg

11

## Explore these helpful resources on epilepsy.

You should always talk to your child's healthcare provider about any questions you may have and for information about the partial-onset seizure treatment plan specifically designed for your child.

There are also many resources for children and caregivers that have additional information on managing relationships, social interactions, and the transition of care to adulthood. Below is a list of resources you may find helpful.

### Epilepsy Foundation

[Epilepsy.com](http://Epilepsy.com)

### Centers for Disease Control and Prevention

[CDC.gov/epilepsy/toolkit/brochure.htm](http://CDC.gov/epilepsy/toolkit/brochure.htm)

### National Association of Epilepsy Centers

[NAEC-epilepsy.org](http://NAEC-epilepsy.org)

### American Epilepsy Society

[AESnet.org](http://AESnet.org)

The websites listed are not affiliated with, controlled, or endorsed by Supernus Pharmaceuticals, Inc.

## Tips for talking to your child's healthcare provider

- ✓ Keep a diary of your child's seizures
- ✓ Tell them if your child is taking any new medicines, vitamins, or supplements
- ✓ Tell them about any recent changes in your child's diet
- ✓ Bring someone with you who will make sure you don't forget anything

# Supernus® Support/ Co-Pay Savings Card

## Supporting you and your child beyond the prescription.

We're proud to offer Supernus Support, a single point of contact for all of your questions regarding Oxtellar XR, including medication access, insurance coverage, and financial aid for eligible patients. Call Supernus Support to check your availability.

Call us at 1-866-398-0833



## All commercially approved patients pay as little as \$0 co-pay.\*

Ask your healthcare team for a co-pay savings card, or download one at [www.OxtellarXR.com/copay](http://www.OxtellarXR.com/copay).



\*For full terms and conditions, please see the Oxtellar XR co-pay savings card, or visit [www.OxtellarXR.com](http://www.OxtellarXR.com)

# COULD OXTELLAR XR BE RIGHT FOR YOUR CHILD?



Not actual patient.  
Used for illustrative purposes.

**Ask your child's healthcare provider  
about once-a-day Oxtellar XR and visit  
[www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient) to learn more.**

ONCE-A-DAY

**Oxtellar XR**<sup>®</sup>  
(oxcarbazepine) extended-release tablets  
600 mg    300 mg    150 mg

**Please refer to the Important Safety Information  
(pages 8 and 9) and the Medication Guide  
for more information on Oxtellar XR,  
or visit [www.OxtellarXR.com/patient](http://www.OxtellarXR.com/patient).**

Oxtellar XR and Solutrol are registered trademarks of Supernus Pharmaceuticals, Inc. All other trademarks are the property of their respective owners.

© 2021 Supernus Pharmaceuticals, Inc.  
All rights reserved. OXT.2021-0060

 **Supernus**<sup>®</sup>  
Pharmaceuticals